

Village of Allouez

Department of Public Works

Green Bay, WI 54301

Telephone: 920.448.2800

Sanitary, Storm and Water Main

Permit No.:

Receipt No.:

Permit Application

Owner: _____ Telephone: _____
 Property location: _____ Parcel No.: **AL-** _____
 Contractor: _____ Telephone: _____
 License No.: _____

Sanitary Sewer **\$100.00** Water Service **\$100.00** Storm Sewer **\$100.00**

Total fee. \$ _____

Unattended trenches shall be covered or guarded with approved fencing. Cover shall be removable, ensure safety and allow inspection of all sections of piping. The Village of Allouez must inspect the complete storm lateral prior to backfilling.

Specifications:

- 1.) Minimum pipe required is SDR 35.
- 2.) Minimum pipe size shall be four (4) inch for single sump pump connection from property line.
- 3.) Minimum pipe size shall be six (6) inch when including down spouts or shared connection.
- 4.) Pitch shall be a minimum of 1/4 inch in one (1) foot of pipe.
- 5.) Connections to municipal catch basins, laterals or mains shall be core drilled, sealed with an approved rubber / neoprene connection using a six (6) inch minimum pipe size.

The undersigned hereby applies for a permit to do the work herein described, and agrees that such work will be done in accordance with above specifications and applicable ordinances of the Village of Allouez. An open excavation of street requires a separate Village permit.

Signature: _____ Date: _____

Engineering Inspector: _____ Date: _____

Brown County requires the Village of Allouez to apply for permits to work on all County Trunk Highways, the cost of the application will be borne by the requestor. Concrete work (curb, gutter, sidewalk, roadway) must be completed by the Village approved contractor with costs billed directly to requestor.

Work Type:

New
 Repair
 Relay / Reconnect
 Abandonment

Description of Work: _____

House